

To: CN=Karen Schwinn/OU=R9/O=USEPA/C=US@EPA[]
Cc: CN=Tom Hagler/OU=R9/O=USEPA/C=US@EPA[]
From: CN=Roger Gorke/OU=DC/O=USEPA/C=US
Sent: Tue 3/22/2011 6:27:06 PM
Subject: Re: Historical Allocations
[AttachementtoBDCPPurposeLetter061010.docx](#)
http://www.westlandswater.org/www/usbr/water_allocations_historical.pdf?title=Summary%20of%20Water%20Supply%20Allocations

Yeah, do you see the "no deficiencies until 1990" Is that when the first smelt reductions were put into place? One would assume so.

How do these numbers mesh with this chart on the BDCP Purpose?

I don't want to side track you but are they consistent or apples and oranges.

did you get my VM?

Roger Gorke
Senior Policy Advisor
Office of Water
United States Environmental Protection Agency
1200 Pennsylvania Ave NW, MC 4101 M
Washington, DC 20460
Phone: 202-564-0470
Fax: 202-564-0500

From: Karen Schwinn/R9/USEPA/US
To: gorke.roger@epa.gov
Cc: Tom Hagler/R9/USEPA/US@EPA
Date: 03/22/2011 02:19 PM
Subject: Re: Historical Allocations

so 3 times? is that what you see?

~~~~~  
KAREN SCHWINN  
Associate Director  
Water Division  
U.S. EPA Region 9  
75 Hawthorne Street (Wtr-1)  
San Francisco, CA 94105  
415/972-3472

415/297-5509 (mobile)

415/947-3537 (fax)

~~~~~

From: Roger Gorke/DC/USEPA/US
To: Karen Schwinn/R9/USEPA/US@EPA
Cc: Tom Hagler/R9/USEPA/US@EPA
Date: 03/22/2011 11:15 AM
Subject: Historical Allocations

http://www.westlandswater.org/www/usbr/water_allocations_historical.pdf?title=Summary%20of%20Water%20Supply%20Allocations

Roger Gorke
Senior Policy Advisor
Office of Water
United States Environmental Protection Agency
1200 Pennsylvania Ave NW, MC 4101 M
Washington, DC 20460
Phone: 202-564-0470
Fax: 202-564-0500